

Instrument Schedule

Theatre II

POSITION	UNIT #	INSTRUMENT TYPE	WATTAGE	PURPOSE	GOBO	CHANNEL	DIMMER	DMX:	AREA	COLOR
A-2	1	8" FRESNEL	1kw	HOUSE		210			HOUSE	N/C
A-4	2	8" FRESNEL	1kw	HOUSE		210			HOUSE	N/C
A-6	3	8" FRESNEL	1kw	HOUSE		210			HOUSE	N/C
A-8	4	8" FRESNEL	1kw	HOUSE		210			HOUSE	N/C
A-10	5	8" FRESNEL	1kw	HOUSE		210			HOUSE	N/C
B-3	1	SOURCE 4 19DEG	575w	FRONT WARM		5			B-J	R05
B-3	2	SOURCE 4 19DEG	575w	FRONT COOL		15			B-J	R355
B-5	3	SOURCE 4 19DEG	575w	FRONT WARM		4			D-I	R05
B-5	4	SOURCE 4 19DEG	575w	FRONT COOL		14			D-I	R355
B-6	5	SOURCE 4 19DEG	575w	FRONT WARM		3			C-H	R05
B-7	6	SOURCE 4 19DEG	575w	FRONT COOL		13			C-H	R355
B-8	7	SOURCE 4 19DEG	575w	FRONT WARM		2			B-G	R05
B-8	8	SOURCE 4 19DEG	575w	FRONT COOL		12			B-G	R355
B-10	9	SOURCE 4 19DEG	575w	FRONT WARM		1			A-F	R05
B-10	10	SOURCE 4 19DEG	575w	FRONT COOL		11			A-F	R355
C-2	1	8" FRESNEL	1kw	HOUSE		210			HOUSE	N/C
C-4	2	8" FRESNEL	1kw	HOUSE		210			HOUSE	N/C
C-6	3	8" FRESNEL	1kw	HOUSE		210			HOUSE	N/C
C-8	4	8" FRESNEL	1kw	HOUSE		210			HOUSE	N/C
C-10	5	8" FRESNEL	1kw	HOUSE		210			HOUSE	N/C
D-3	1	SOURCE 4 19DEG	575w	FRONT WARM		10			J-O	R05
D-3	2	SOURCE 4 19DEG	575w	FRONT COOL		20			J-O	R355
D-5	3	SOURCE 4 19DEG	575w	FRONT WARM		9			I-N	R05
D-5	4	SOURCE 4 19DEG	575w	FRONT COOL		19			I-N	R355
D-6	5	SOURCE 4 19DEG	575w	FRONT WARM		8			H-M	R05
D-7	6	SOURCE 4 19DEG	575w	FRONT COOL		18			H-M	R355
D-8	7	SOURCE 4 19DEG	575w	FRONT WARM		7			G-L	R05
D-8	8	SOURCE 4 19DEG	575w	FRONT COOL		17			G-L	R355
D-10	9	SOURCE 4 19DEG	575w	FRONT WARM		6			F-K	R05
D-10	10	SOURCE 4 19DEG	575w	FRONT COOL		16			F-K	R355
F-3	1	SOURCE 4 26DEG	575w	HIGH SIDE COOL		155			C-B	R65

Instrument Schedule

Theatre II

E-3	2	SOURCE 4 26DEG	575w	HIGH SIDE WARM		145			C-B	R09
F-5	3	SOURCE 4 26DEG	575w	HIGH SIDE COOL		155			B-A	R65
E-5	4	SOURCE 4 26DEG	575w	HIGH SIDE WARM		145			B-A	R09
F-8	5	SOURCE 4 26DEG	575w	HIGH SIDE COOL		151			D-E	R65
E-8	6	SOURCE 4 26DEG	575w	HIGH SIDE WARM		141			D-E	R09
F-10	7	SOURCE 4 26DEG	575w	HIGH SIDE COOL		151			C-D	R65
E-10	8	SOURCE 4 26DEG	575w	HIGH SIDE WARM		141			C-D	R09
G-3	1	8" FRESNEL	1kw	TOP WARM		25			E	R321
G-3	2	8" FRESNEL	1kw	TOP COOL		45			E	R80
G-5	3	8" FRESNEL	1kw	TOP WARM		24			D	R321
G-5	4	8" FRESNEL	1kw	TOP COOL		44			D	R80
G-6	5	8" FRESNEL	1kw	TOP WARM		23			C	R321
G-7	6	8" FRESNEL	1kw	TOP COOL		43			C	R80
G-8	7	8" FRESNEL	1kw	TOP WARM		22			B	R321
G-8	8	8" FRESNEL	1kw	TOP COOL		42			B	R80
G-10	9	8" FRESNEL	1kw	TOP WARM		21			A	R321
G-10	10	8" FRESNEL	1kw	TOP COOL		41			A	R80
H-3	1	SOURCE 4 26DEG	575w	HIGH SIDE COOL		151			H-G	R65
H-3	2	SOURCE 4 26DEG	575w	HIGH SIDE WARM		141			H-G	R09
H-4	3	SOURCE 4 36DEG	575w	TOP SPECIAL		303			1/4 SL W1	N/C
H-5	4	SOURCE 4 26DEG	575w	HIGH SIDE COOL		151			G-F	R65
H-5	5	SOURCE 4 26DEG	575w	HIGH SIDE WARM		141			G-F	R09
H-6	6	SOURCE 4 36DEG	575w	TOP SPECIAL		302			C W1	N/C
H-8	7	SOURCE 4 26DEG	575w	HIGH SIDE COOL		152			I-J	R65
H-8	8	SOURCE 4 26DEG	575w	HIGH SIDE WARM		142			I-J	R09
H-9	9	SOURCE 4 36DEG	575w	TOP SPECIAL		301			1/4 SR W1	N/C
H-10	10	SOURCE 4 26DEG	575w	HIGH SIDE WARM		142			H-I	R09
H-10	11	SOURCE 4 26DEG	575w	HIGH SIDE COOL		152			H-I	R65
I-3	1	8" FRESNEL	1kw	TOP WARM		30			J	R321
I-3	2	8" FRESNEL	1kw	TOP COOL		50			J	R80
I-4	3	SOURCE 4 36DEG	575w	TOP SPECIAL		306			1/4 SL W2	N/C
I-5	4	8" FRESNEL	1kw	TOP WARM		29			I	R321

Instrument Schedule

Theatre II

I-5	5	8" FRESNEL	1kw	TOP COOL		49			I	R80
I-6	6	8" FRESNEL	1kw	TOP WARM		28			H	R321
I-6	7	SOURCE 4 ZM 15-30DEG	575w	TOP SPECIAL		305			C W2	N/C
I-7	8	8" FRESNEL	1kw	TOP COOL		48			H	R80
I-8	9	8" FRESNEL	1kw	TOP WARM		27			G	R321
I-8	10	8" FRESNEL	1kw	TOP COOL		47			G	R80
I-9	11	SOURCE 4 36DEG	575w	TOP SPECIAL		304			1/4 SR W2	N/C
I-10	12	8" FRESNEL	1kw	TOP WARM		26			F	R321
I-10	13	8" FRESNEL	1kw	TOP COOL		46			F	R80
J-3	1	SOURCE 4 26DEG	575w	HIGH SIDE WARM		147			H-G	R09
J-3	2	SOURCE 4 26DEG	575w	HIGH SIDE COOL		157			H-G	R65
J-3	3	SOURCE 4 26DEG	575w	HIGH SIDE WARM		148			M-L	R09
J-3	4	SOURCE 4 26DEG	575w	HIGH SIDE COOL		158			M-L	R65
J-4	5	SOURCE 4 36DEG	575w	TOP SPECIAL		309			1/4 SL W3	N/C
J-5	6	SOURCE 4 26DEG	575w	HIGH SIDE WARM		147			G-F	R09
J-5	7	SOURCE 4 26DEG	575w	HIGH SIDE COOL		157			G-F	R65
J-5	8	SOURCE 4 26DEG	575w	HIGH SIDE WARM		148			K-L	R09
J-5	9	SOURCE 4 26DEG	575w	HIGH SIDE COOL		158			K-L	R65
J-6	10	SOURCE 4 36DEG	575w	TOP SPECIAL		308			C W3	N/C
J-8	11	SOURCE 4 26DEG	575w	HIGH SIDE WARM		143			I-J	R09
J-8	12	SOURCE 4 26DEG	575w	HIGH SIDE COOL		153			I-J	R65
J-8	13	SOURCE 4 26DEG	575w	HIGH SIDE WARM		144			N-O	R09
J-8	14	SOURCE 4 26DEG	575w	HIGH SIDE COOL		154			N-O	R65
J-9	15	SOURCE 4 36DEG	575w	TOP SPECIAL		307			1/4 SR W3	N/C
J-10	16	SOURCE 4 26DEG	575w	HIGH SIDE WARM		143			H-I	R09
J-10	17	SOURCE 4 26DEG	575w	HIGH SIDE COOL		153			H-I	R65
J-10	18	SOURCE 4 26DEG	575w	HIGH SIDE WARM		144			M-N	R09
J-10	19	SOURCE 4 26DEG	575w	HIGH SIDE COOL		154			M-N	R65
K-3	1	8" FRESNEL	1kw	TOP WARM		35			O	R321
K-3	2	PAR 64 WFL	1kw	BACK DEEP BLUE		435			O-D	R83
K-3	3	PAR 64 WFL	1kw	BACK MAGENTA		425			O-D	R342
K-3	4	PAR 64 WFL	1kw	BACK DEEP LAVENDER		415			O-D	R359

Instrument Schedule

Theatre II

K-3	5	PAR 64 WFL	1kw	BACK BLUE GREEN		405			O-D	R370
K-3	6	8" FRESNEL	1kw	TOP COOL		55			O	R80
K-5	7	8" FRESNEL	1kw	TOP WARM		34			N	R321
K-5	8	PAR 64 WFL	1kw	BACK DEEP BLUE		434			N-C	R83
K-5	9	PAR 64 WFL	1kw	BACK MAGENTA		424			N-C	R342
K-5	10	PAR 64 WFL	1kw	BACK DEEP LAVENDER		414			N-C	R359
K-5	11	PAR 64 WFL	1kw	BACK BLUE GREEN		404			N-C	R370
K-5	12	8" FRESNEL	1kw	TOP COOL		54			N	R80
K-6	13	PAR 64 WFL	1kw	BACK DEEP BLUE		433			M-C	R83
K-6	14	PAR 64 WFL	1kw	BACK MAGENTA		423			M-C	R342
K-6	15	8" FRESNEL	1kw	TOP WARM		33			M	R321
K-7	16	8" FRESNEL	1kw	TOP COOL		53			M	R80
K-7	17	PAR 64 WFL	1kw	BACK DEEP LAVENDER		413			M-C	R359
K-7	18	PAR 64 WFL	1kw	BACK BLUE GREEN		403			M-C	R370
K-8	19	8" FRESNEL	1kw	TOP WARM		32			L	R321
K-8	20	PAR 64 WFL	1kw	BACK DEEP BLUE		432			L-C	R83
K-8	21	PAR 64 WFL	1kw	BACK MAGENTA		422			L-C	R342
K-8	22	PAR 64 WFL	1kw	BACK DEEP LAVENDER		412			L-C	R359
K-8	23	PAR 64 WFL	1kw	BACK BLUE GREEN		402			L-C	R370
K-8	24	8" FRESNEL	1kw	TOP COOL		52			L	R80
K-10	25	8" FRESNEL	1kw	TOP WARM		31			K	R321
K-10	26	PAR 64 WFL	1kw	BACK DEEP BLUE		431			K-B	R83
K-10	27	PAR 64 WFL	1kw	BACK MAGENTA		421			K-B	R342
K-10	28	PAR 64 WFL	1kw	BACK DEEP LAVENDER		411			K-B	R359
K-10	29	PAR 64 WFL	1kw	BACK BLUE GREEN		401			K-B	R370
K-10	30	8" FRESNEL	1kw	TOP COOL		51			K	R80
L-3	1	3 CELL SKY CYC RIGHT	1kw	CYC GREEN		203			CYC	R122
L-3	2	3 CELL SKY CYC CENTER	1kw	CYC BLUE		202			CYC	R121
L-3	3	3 CELL SKY CYC LEFT	1kw	CYC RED		201			CYC	R120
L-4	4	3 CELL SKY CYC RIGHT	1kw	CYC GREEN		203			CYC	R122
L-4	5	3 CELL SKY CYC CENTER	1kw	CYC BLUE		202			CYC	R121
L-4	6	3 CELL SKY CYC LEFT	1kw	CYC RED		201			CYC	R120

Instrument Schedule

Theatre II

L-5	7	3 CELL SKY CYC RIGHT	1kw	CYC GREEN		203			CYC	R122
L-5	8	3 CELL SKY CYC CENTER	1kw	CYC BLUE		202			CYC	R121
L-5	9	3 CELL SKY CYC LEFT	1kw	CYC RED		201			CYC	R120
L-6	10	3 CELL SKY CYC RIGHT	1kw	CYC GREEN		203			CYC	R122
L-6	11	3 CELL SKY CYC CENTER	1kw	CYC BLUE		202			CYC	R121
L-6	12	3 CELL SKY CYC LEFT	1kw	CYC RED		201			CYC	R120
L-7	13	3 CELL SKY CYC RIGHT	1kw	CYC GREEN		203			CYC	R122
L-7	14	3 CELL SKY CYC CENTER	1kw	CYC BLUE		202			CYC	R121
L-7	15	3 CELL SKY CYC LEFT	1kw	CYC RED		201			CYC	R120
L-8	16	3 CELL SKY CYC RIGHT	1kw	CYC GREEN		203			CYC	R122
L-8	17	3 CELL SKY CYC CENTER	1kw	CYC BLUE		202			CYC	R121
L-8	18	3 CELL SKY CYC LEFT	1kw	CYC RED		201			CYC	R120
L-9	19	3 CELL SKY CYC RIGHT	1kw	CYC GREEN		203			CYC	R122
L-9	20	3 CELL SKY CYC CENTER	1kw	CYC BLUE		202			CYC	R121
L-9	21	3 CELL SKY CYC LEFT	1kw	CYC RED		201			CYC	R120
2ND BALC-S	1	SOURCE 4 19DEG	575w	FRONT SPECIAL		318			SPECIAL	N/C
2ND BALC-S	2	SOURCE 4 19DEG	575w	FRONT SPECIAL		317			SPECIAL	N/C
2ND BALC-S	3	SOURCE 4 19DEG	575w	FRONT SPECIAL		316			SPECIAL	N/C
2ND BALC-S	4	SOURCE 4 19DEG	575w	FRONT SPECIAL		315			SPECIAL	N/C
2ND BALC-S	1	SOURCE 4 19DEG	575w	FRONT SPECIAL		314			SPECIAL	N/C
2ND BALC-S	2	SOURCE 4 19DEG	575w	FRONT SPECIAL		313			SPECIAL	N/C
2ND BALC-S	3	SOURCE 4 19DEG	575w	FRONT SPECIAL		312			SPECIAL	N/C
2ND BALC-S	4	SOURCE 4 19DEG	575w	FRONT SPECIAL		311			SPECIAL	N/C
1ST BALC-E	1	SOURCE 4 26DEG	575w	PATTERN FILL		135			DS- FILL	N/C
1ST BALC-E	2	SOURCE 4 36DEG	575w	SEACHANGER FILL		125			DS- FILL	SEA
1ST BALC-W	1	SOURCE 4 26DEG	575w	PATTERN FILL	G579	131				N/C
1ST BALC-W	2	SOURCE 4 36DEG	575w	SEACHANGER FILL	CMYG	121				SEA
FLOOR-SL	1	SOURCE 4 36DEG	575w	SHIN KICKER		110				C/C
FLOOR-SR	2	SOURCE 4 36DEG	575w	SHIN KICKER		100				C/C
SL BOOM #1	1	SOURCE 4 36DEG	575w	SHIN		104				C/C
SL BOOM #1	2	SOURCE 4 36DEG	575w	MID		114				C/C
SL BOOM #1	3	SOURCE 4 36DEG	575w	HEAD	CMYG	126				SEA

Instrument Schedule

Theatre II

SL BOOM #1	4	SOURCE 4 26DEG	575w	HI-HEAD PATTERN	G579	136				N/C
SL BOOM #2	1	SOURCE 4 36DEG	575w	SHIN		105				C/C
SL BOOM #2	2	SOURCE 4 36DEG	575w	MID		115				C/C
SL BOOM #2	3	SOURCE 4 36DEG	575w	HEAD	CMYG	127				SEA
SL BOOM #2	4	SOURCE 4 26DEG	575w	HI-HEAD PATTERN	G579	137				N/C
SL BOOM #3	1	SOURCE 4 36DEG	575w	SHIN		106				C/C
SL BOOM #3	2	SOURCE 4 36DEG	575w	MID		116				C/C
SL BOOM #3	3	SOURCE 4 36DEG	575w	HEAD	CMYG	128				SEA
SL BOOM #3	4	SOURCE 4 26DEG	575w	HI-HEAD PATTERN	G579	138				N/C
SR BOOM #1	1	SOURCE 4 36DEG	575w	SHIN		101				C/C
SR BOOM #1	2	SOURCE 4 36DEG	575w	MID		111				C/C
SR BOOM #1	3	SOURCE 4 36DEG	575w	HEAD	CMYG	122				SEA
SR BOOM #1	4	SOURCE 4 26DEG	575w	HI-HEAD PATTERN	G579	132				N/C
SR BOOM #2	1	SOURCE 4 36DEG	575w	SHIN		102				C/C
SR BOOM #2	2	SOURCE 4 36DEG	575w	MID		112				C/C
SR BOOM #2	3	SOURCE 4 36DEG	575w	HEAD	CMYG	123				SEA
SR BOOM #2	4	SOURCE 4 26DEG	575w	HI-HEAD PATTERN	G579	133				N/C
SR BOOM #3	1	SOURCE 4 36DEG	575w	SHIN		103				C/C
SR BOOM #3	2	SOURCE 4 36DEG	575w	MID		113				C/C
SR BOOM #3	3	SOURCE 4 36DEG	575w	HEAD	CMYG	124			SEA	
SR BOOM #3	4	SOURCE 4 26DEG	575w	HI-HEAD PATTERN	G579	134			N/C	